Saskatchewan Agriculture and Food

Crop Report

Published by Saskatchewan Agriculture and Food
ISSN 0701 7065

Report Number 11, June 12, 2006

Crop Report for June 11, 2006

Provincial seeding progress is reported as 94 per cent complete, up from last week's figure of 88 per cent, according to Saskatchewan Agriculture and Food's weekly crop report.

Seeding progress ranges from 99 per cent complete in the southwest part of the province, to 81 per cent complete in the northeast. Some rural municipalities in east central and north eastern regions reported less than 50 per cent seeded. It's expected that very little additional seeding will occur this spring due to the recent rainfall.

Seeding and spraying operations were slowed in the province due to rainy weather this past week. Rainfall averages for the period of June 4 to June 10, 2006 ranged from 40 mm in the southwest to 21 mm in the northwest. Individual amounts of up to 82 mm of precipitation were reported.

Topsoil moisture conditions on crop lands were reported as generally adequate on the western side of the province, and surplus on the eastern side.

Across the province, spring cereal development was rated normal by 69 per cent of reporters, while 23 per cent rated development as behind. Oilseed development was rated normal by 70 per cent of reporters, while 26 per cent of reporters rated development as behind. Pulse crop development was rated normal by 73 per cent of reporters, while 19 per cent rated development as behind. Fifty-eight per cent of reporters rated fall cereal development as normal, while 33 per cent rated development as ahead of normal.

At least 80 per cent of all crops are rated in good to excellent condition, a slight improvement from last week's ratings.

CD	June 11/06
1a	98
1b	94
2a	98
2b	99
3an	99
3ase	99
3asw	98
3bn	99
3bs	99
4a	100
4b	99
5a	87
5b	76
6a	98
6b	98
7a	99
7b	98
8a	65
8b	92
9ae	91
9aw	96
9b	96
Prov.	94

Flooding was the main source of crop damage during the past week, and was reported in all regions of the grainbelt. Weeds, insects (flea beetles, cutworms, wire worms), disease (leaf diseases, ascochyta blight, root rot), and gophers were the cause of more isolated sources of crop damage.

Weather conditions are hampering weed control.

For further information contact:
Terry Bedard, P.Ag.
Agricultural Economist
Policy Branch
Saskatchewan Agriculture and Food
306-787-5956
e-mail: policybranch@agr.gov.sk.ca

Available on the SAF Internet site at: www.agr.gov.sk.ca

Please let us know if you no longer need to receive a printed copy.

1 Year Ago

It was estimated that about 95% of the 2005 seeding was complete.

Seeding and spraying operations were slowed in the province due to rainy weather.

Regions in the eastern grainbelt were experiencing surplus moisture.

Flooding was the amin source of crop damage.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

CANADA ~ SASKATCHEWAN Crop Insurance

South eastern Saskatchewan (Crop Districts 1, 2, & 3ase)

The south eastern region was cloudy with showers during the latter part of the past week. An average of 36 mm of precipitation was reported, ranging from an average low of 21 mm reported in Crop District (CD) 1, to an average high of 67 mm reported in CD 3ase. Amounts of over 80 mm were reported in the Moose Jaw area. Flooding damage was reported throughout the region. Time will tell how much crop was drowned out.

Ninety-seven per cent of the south eastern crop has been planted. Crop District 1b is the furthest behind at 94% complete. Some farmers were broadcasting canola in the Moosomin area.

Almost 30% more of the crop reporters rated their crop land as having surplus topsoil moisture – at 43% this week, compared to 14% last week. On hay and pasture land, 90% of reporters rated topsoil moisture conditions as adequate, compared to 74% last week.

Spring cereal development is rated as normal by 70% of south eastern reporters and as ahead by 22%. Oilseed development is rated as normal by 71% of reporters and as behind by 16%. Pulse crop development is rated as normal by 75% of reporters and as ahead by 15%. Fall crops are rated as normal by 56% and as ahead by 42% of reporters.

Crop reporters rated crops in good to excellent condition at the following percentages: Winter Wheat – 90%; Fall Rye – 86%; Spring Wheat – 92%; Durum – 91%; Oats – 91%; Barley – 92%; Triticale – 92%; Flax – 84%; Canola – 81%; Mustard – 78%; Sunflowers – 100%; Lentils – 90%; Peas – 92%; Canary seed – 92%; and Chickpeas – 85%. The condition of all crops has either improved or remained the same as last week.

Localized damage from flea beetles was reported in CDs 1 and 2. Insecticide spraying was done in the Frobisher, Broadview, and Ceylon areas. There was a spotty outbreak of grasshoppers in CD 3ase. Leaf diseases were reported in CDs 1 and 2b, while spraying for ascochyta blight took place in the Ceylon area. Fungicides were applied to winter wheat in the Moosomin area. Some flax crops were starting to turn yellow in the Redvers area. Crops were also yellowing in the Kennedy area. Gopher damage was reported in CDs 2b and 3ase.

Weed control operations were delayed by the wind and the rain this past week. Weed growth is heavy and farmers are looking for good weather for spraying.

Fall rye was pollinating and winter wheat was heading out in the Gainsborough area. Fall rye was flowering in the Kisbey area and there was concern expressed about ergot. Black fly populations were an issue in the Odessa area.

South western Saskatchewan (CDs 3asw, 3an, 3b, & 4)

The southwest received some much needed rain this past week. An average of 40 mm of precipitation was reported, ranging from an average low of 27 mm reported in CD 3bs, to an average high of 56 mm reported in CD 3an. Several areas reported over 70 mm. Flooding damage was reported in CDs 3asw, 3an, and 3bn. There was wind damage reported in CD 3b. Before the rains came, there was drought damage to crops in CDs 3b and 4.

Ninety-nine per cent of the 2006 crop has been seeded in the southwest, with many areas finished. With the additional moisture, some farmers may plant more greenfeed.

Topsoil moisture conditions improved on south western cropland, with only 3% giving ratings of short, compared to 23% last week. Conditions on hay and pasture land also improved with 78% of reporters rating topsoil moisture as adequate, compared with 44% the previous week.

Spring cereal development is rated as normal by 81% of south western reporters and as behind by 10%. Oilseed development is rated as normal by 83% of reporters and as behind by 13%. Pulse crop development is rated as normal by 82% of reporters and as ahead by 13%. Fall crops are rated as normal by 58% of reporters and as ahead by 33%.

Saskatchewan Crop Conditions, June 11, 2006

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale	
% excellent	39	31	25	35	24	25	39	
% good	48	53	62	58	60	62	53	
% fair	7	8	10	7	12	11	8	
% poor	5	8	2	0	4	2	0	
% very poor	1	0	1	0	0	0	0	
	100	100	100	100	100	100	100	
	Flax	Canola	Mustard	Sun-flower	Lentil	Pea	Canary Seed	Chick-pea
% excellent	27	21	23	35	34	29	31	31
% good	58	59	61	64	59	62	55	62
% fair	13	15	11	0	7	7	12	7
% poor	2	4	5	1	0	2	2	0
% very poor	0	1	0	0	0	0	0	0
	100	100	100	100	100	100	100	100

Crop reporters rated crops in good to excellent condition at the following percentages: Winter Wheat – 79%; Fall Rye – 78%; Spring Wheat – 91%; Durum – 92%; Oats – 91%; Barley – 91%; Triticale – 94%; Flax – 94%; Canola – 89%; Mustard – 78%; Sunflowers – 100%; Lentils – 93%; Peas – 93%; Canary seed – 79%; and Chickpeas – 97%. The condition of all crops has either improved or remained the same as last week.

There were some emergence problems due to soil crusting in the Viceroy area.

Damage from flea beetles was reported in CDs 3asw and 3bn. Damage from cutworms was reported in CDs 3an and 3bn. Ascochyta blight was reported in CD 3bn. Gopher damage to crops was reported in CDs 3asw, 3bs, and 4a. In the Mankota area, some fields have been up to 1/3 eaten out by gophers. Gophers are also causing a lot of damage in fields in the Hazenmore area. Hay has been lost to gophers in the Ponteix area.

Weed growth is heavy and control operations are underway as weather conditions permit. Winter wheat is headed out in the Maple Creek area and the fall rye crops have improved with the moisture and are in bloom.

East central Saskatchewan (Crop Districts 5 & 6a)

The east central region was generally cool and wet during the past week. An average of 37 mm of precipitation was reported, ranging from an average low of 24 mm reported in CD 5a, to an average high of 46 mm reported in CD 6a. Over 60 mm was reported in several areas in CD 6a. Flooding damage to crops was reported across the region. Localized wind damage was reported in CDs 5b and 6a.

Eighty-eight per cent of the 2006 crop is seeded in the east central region. Crop District 5b is furthest behind at 76% seeded. The Kelvington, Foam Lake, Kuroki, Rose Valley, and Jedburgh areas all report less than 70% seeded. Our reporter in the Archerwill area indicated that of the 23 quarter sections in the RM east of Archerwill, only 5 have seed in the ground.

Topsoil moisture conditions on cropland became much wetter with 84% of reporters rating topsoil moisture as surplus, compared with 51% last week. Conditions were also wetter on hay and pasture land with 49% of reporters rating topsoil moisture as surplus compared to 35% last week. Some pastures in the Leroy area are so soft that livestock hooves are doing damage to the grass.

Spring cereal development is rated as normal by 57% of east central reporters and as behind by 39%. Oilseed development is rated as normal by 55% of reporters and as behind by 41%. Pulse crop development is rated as normal by 63% of reporters and as behind by 35%. Fall crops are further advanced with 41% rated at normal development and 51% rated ahead of normal.

Crop reporters rated crops in good to excellent condition at the following percentages: Winter Wheat – 97%; Fall Rye – 89%; Spring Wheat – 85%; Durum – 96%; Oats – 83%; Barley – 89%; Triticale – 61%; Flax – 91%; Canola – 81%; Mustard – 88%; Sunflowers – 100%; Lentils – 95%; Peas – 85%; Canary seed – 80%; and Chickpeas – 88%. The condition of all crops, except winter wheat, fall rye, spring wheat, triticale, and canary seed, has either improved or remained the same as last week.

Flea beetles caused localized crop damage across the region. Leaf diseases were reported in CD 6a. Winter wheat was being sprayed with fungicides by planes and high clearance sprayers in the Holdfast area. Crops were yellowing in areas across the region. Gophers caused some large areas of damage in the Lumsden area.

Weed pressure is heavy and spraying has been difficult due to the wet conditions.

West central Saskatchewan (Crop Districts 6b & 7)

The west central region was cool and rainy until near the end of the past week. An average of 27 mm of precipitation was reported, ranging from an average low of 23 mm reported in CD 7, to an average high of 34 mm reported in CD 6b. There was some localized flooding damage reported in CDs 6b and 7b. Hail damage was reported in the Tramping Lake area.

Ninety-nine per cent of the 2006 crop has been planted. Some re-seeding will be done in the Conquest area due to heavy weed growth and wireworm damage. Re-seeding will also be done in the Marengo and Landis areas due to wireworm damage.

Topsoil moisture conditions on cropland were wetter than the previous week. Twenty-nine per cent of reporters rated topsoil moisture as surplus, compared with 3% last week. Conditions were also wetter on hay and pasture land with 18% of reporters rating topsoil moisture as surplus compared to none last week.

Spring cereal development is rated as normal by 74% of west central reporters and as behind by 23%. Oilseed development is rated as normal by 85% of reporters and as behind by 15%. Pulse crop development is rated as normal by 88% of reporters and as behind by 12%. Fall crops are further advanced with 76% rated at normal development and 12% rated ahead of normal.

Crop reporters rated crops in

good to excellent condition at the following percentages: Winter Wheat – 99%; Fall Rye – 91%; Spring Wheat – 85%; Durum – 98%; Oats – 96%; Barley – 97%; Triticale – 97%; Flax – 98%; Canola – 95%; Mustard – 99%; Sunflowers – 87%; Lentils – 97%; Peas – 98%; Canary seed – 96%; and Chickpeas – 98%. The condition of all crops, except spring wheat, oats, and sunflowers, has either improved or remained the same as last week.

Wireworms were reported in localized areas in the region. Flea beetles were reported in CD 6b. Gophers caused crop damage in CD 7b. Root rot was reported in CD 7b. Tan spot was reported in the Biggar area.

Farmers are applying herbicide to combat weed pressures as weather conditions permit. Fall rye is heading out in the Unity area.

North eastern Saskatchewan (Crop Districts 8 & 9ae)

The north eastern region was sunny and warm the first part of last week and then the weather turned cool and wet. An average of 24 mm of precipitation was reported, ranging from an average low of 19 mm reported in CD 8a, to an average high of 27 mm reported in CD 8b. Crop damage from flooding was reported across the region.

Eighty-one per cent of the 2006 crop has been planted in the northeast. The Porcupine Plain and Archerwill areas have less than 50% of the crop planted. In the Porcupine Plain and Bruno areas, farmers expect some of the seeded crop to be lost due to excess moisture. Crusted seedbeds in the Star City area are causing poor emergence. There was some re-seeding due to loss from root rot in the Arborfield area. In the Nipawin area, there was some re-seeding of barley that did not emerge.

Topsoil moisture conditions on cropland continued to get wetter this past week, with 85% of reporters rating topsoil moisture as surplus, compared with 72% last week. Conditions on hay and pasture land also got wetter with 69% of reporters rating topsoil moisture as surplus, compared with 52% last week.

Spring cereal development is rated as normal by 50% of north eastern reporters and as behind by 46%. Oilseed development is also rated as normal by 42% of reporters and as behind by 54%. Pulse crop development is rated as normal by 48% of reporters and as behind by 48%. Fall crops are rated at normal development by 61% of reporters and behind by 22%.

Crop reporters rated crops in good to excellent condition at the following percentages: Winter Wheat – 80%; Fall Rye – 74%; Spring Wheat – 59%; Durum – 97%; Oats – 52%; Barley – 59%; Flax – 40%; Canola – 53%; Mustard – 78%; Sunflowers – 90%; Lentils – 64%; Peas – 66%; and Canary seed – 56%. Most crops deteriorated in condition from last week.

Flea beetles caused some crop damage in CD 9ae. Insecticides were sprayed in the Prince Albert area. Leaf diseases and root rot were reported in CD 8. Farmers were spraying fungicides in the Hoey area until the wind and rain caused them to stop. Some crops are yellowing in the Melfort, Garrick, and Arborfield areas.

Farmers are having a hard time spraying because of inclement weather and wet field conditions.

North western Saskatchewan (Crop Districts 9aw & 9b)

The north western region was cool and cloudy after being warmer earlier during the past week. An average of 21 mm of precipitation was reported. CD 9aw averaged 31 mm of rain and reported localized flooding. Localized wind damage was reported in CD 9b.

Ninety-five per cent of the 2006 crop has been planted in the northwest. The Debden and St. Walburg areas report less than 90% complete. Some farmers are still planning to seed crops for greenfeed.

Topsoil moisture conditions on cropland got a bit wetter during the past week. Twenty-two per cent of reporters rated topsoil moisture as surplus, compared with 16% last week. Conditions were also wetter on hay and pasture land with 15% of reporters rating topsoil moisture as surplus compared to 4% last week.

Spring cereal development is rated as normal by 74% of north western reporters and as behind by 26%. Oilseed development is rated as normal by 73% of reporters and as behind by 27%. Pulse crop development is rated as normal by 70% of reporters and as behind by 22%. Fall crops are rated by 50% of reporters as normal development and by 37% as ahead of normal.

Crop reporters rated crops in good to excellent condition at the following percentages: Fall Rye – 90%; Spring Wheat – 97%; Durum – 100%; Oats – 97%; Barley – 98%; Triticale – 73%; Flax – 100%; Canola – 96%; Mustard – 100%; Lentils – 100%; and Peas – 98%. All crops, with the exception of triticale, improved or maintained condition from last week.

Localized gopher damage was reported in CD 9aw. Some crops were turning yellow in the Debden area.

Farmers are busy with herbicide spraying as weather conditions permit.

Weekly Rainfall Summary

(in millimeters)

for the week ending June 10, 2006

Crop Dist.	No.	Municipality Name	Past Week	Since April 1
1A	1	Argyle	10	140
	2	Mount Pleasant	14	132
	3 B	Enniskillen	24	125
	32	Reciprocity	13	91
	33 A	Moose Creek	23	115
	33 B	Moose Creek	21	151
	34	Browning	23	170
	35	Benson	25	143
	61	Antler	24	131
	63 A	Moose Mountain	15	162
	64	Brock	27	163
	65	Tecumseh	38	140
1B	91	Maryfield	11	112
	92	Walpole	15	137
	93	Wawken	25	170
	95	Golden West	31	173
	121	Moosomin	9	148
	122	Martin	10	161
	123	Silverwood	37	203
	124	Kingsley	23	151
	125	Chester	22	130
	151 A	Rocanville	25	215
	151 B	Rocanville	29	275
	153	Willowdale	20	166
	154	Elcapo	17	131
	155	Wolseley	26	186
2A	36	Cymri	35	194
	66	Griffin	56	151
	67	Weyburn	63	172
	68	Brokenshell	66	182
	69	Norton	70	177
	96	Fillmore	41	161
	97	Wellington	40	146
	99	Caledonia	48	141
2B	126	Montmartre	36	131
	127	Francis	18	123
	128	Lajord	30	104
	129	Bratt's Lake	51	127
	131	Baildon	37	136
	156 A	Indian Head	38	168
	156 B	Indian Head	29	167
	158	Edenwold	34	145
	160	Pense	55	138
	161	Moose Jaw	82	232
	191	Marquis	50	154
3ASE	8	Lake Alma	68	166
	9	Surprise Valley	67	161
	38 A	Laurier	76	178
	38 B	Laurier	74	138
	39 A	The Gap	51	138
	39 B	The Gap	68	156
3ASW	10	Happy Valley	39	98
	12	Poplar Valley	45	108
	40	Bengough	38	126
	42	Willow Bunch	26	129
	43 A	Old Post	38	118
	43 B	Old Post	28	125
	44	Waverley	25	171
	70	Key West	33	121
	71 A	Excel	31	150
	71 B	Excel	70	183
	71 C	Excel	40	207
	73 A	Stonehenge	47	174
	73 B	Stonehenge	33	182
3AN	101 B	Terrell	41	136
	102	Lake Johnston	56	148
	103	Sutton	43	184
	132	Hillsborough	73	187
	134	Shamrock	45	181
	164	Chaplin	67	161
	193	Eyebrow	68	194
	194	Enfield	52	122
3BS	17 A	Val Marie	19	85
	17 B	Val Marie	16	94
	45	Mankota	17	139
	46	Glen Mcpherson	14	91
	75 A	Pinto Creek	17	135
	75 B	Pinto Creek	14	140
	76 A	Auvergne	25	91
	76 B	Auvergne	23	102
	77	Wise Creek	24	64
	78 A	Grassy Creek	56	100
	78 B	Grassy Creek	28	74
	78 C	Grassy Creek	31	81
	105	Glenbain	47	212
	106	Whiska Creek	33	119
	108	Bone Creek	35	93
3BN	136	Coulee	53	124
	138	Webb	42	96
	165	Morse	54	105
	166	Excelsior	67	125
	167	Sask. Landing	46	105
	225	Canaan	72	114
	226	Victory	57	131
	228 A	Lacadena	30	99
	228 B	Lacadena	46	143
	255	Coteau	55	145
	257	Monet	24	93
4A	19	Frontier	25	100
	49 A	White Valley	47	79
	49 B	White Valley	56	84
	51	Reno	24	77
	79	Arlington	39	70
	110	Piapot	35	99
	111 A	Maple Creek	30	83
	111 B	Maple Creek	29	94
4B	139	Gull Lake	50	89
	141	Big Stick	25	89
	142	Enterprise	52	133
	231	Happyland	65	143
	232	Deer Forks	42	113
5A	152	Spy Hill	20	235
	183	Fertile Belt	24	188
	184 A	Grayson	21	96
	185	Mcleod	24	163
	186	Abernethy	23	160
	187	North Qu'appelle	23	153
	211	Churchbridge	21	192
	216	Tullymet	31	189
	217 B	Lipton	24	157
	241	Calder	17	142
	245 A	Garry	23	168
	245 B	Garry	23	180
	246	Ituna Bon Accord	29	154
	248	Touchwood	35	114
5B	271	Cote	9	133
	276	Foam Lake	58	212
	277	Emerald	31	175
	304	Buchanan	50	190
	307	Elfros	37	194
	308	Big Quill	23	113
	333	Clayton	36	316
	335	Hazel Dell	38	204
	336	Sasman	45	194
	338	Lakeside	25	162
	366 A	Kelvington	16	126
	366 B	Kelvington	25	160
	367	Ponass Lake	36	178
	367 B	Ponass Lake	44	44
6A	189	Lumsden	52	176
	190 A	Dufferin	42	116
	190 B	Dufferin	55	170
	190 C	Dufferin	41	147
	219 C	Longlaketon	27	114
	220	Mckillop	58	162
	221	Sarnia	53	155
	222	Craik	66	191
	251	Big Arm	42	123
	252	Arm River	40	117
	279 B	Mount Hope	36	130
	280	Wreford	37	119
	282	Mccraney	50	115
	309	Prairie Rose	42	171
	312	Morris	60	140
	313	Lost River	54	114
	339 A	Leroy	33	110
	339 B	Leroy	36	177
	340 A	Wolverine	65	184
	340 B	Wolverine	64	190
	341	Viscount	42	124
	343	Blucher	30	123
6B	254	Loreburn	49	106
	283	Rosedale	30	90
	284	Rudy	33	105
	285	Fertile Valley	46	125
	286	Milden	31	110
	314 B	Dundurn	26	90
	344	Corman Park	18	68
	345	Vanscoy	34	85
	346	Perdue	37	146
	376 B	Eagle Creek	29	97
	404	Laird	44	136
7A	259	Snipe Lake	22	82
	287	St. Andrews	20	70
	292	Milton	18	121
	317 B	Marriott	33	131
	317 C	Marriott	34	105
	318 A	Mountain View	20	123
	318 B	Mountain View	20	122
	320	Oakdale	17	102
7B	347 A	Biggar	24	90
	347 B	Biggar	33	93
	350 A	Mariposa	25	118
	350 B	Mariposa	18	105
	351	Progress	21	121
	352	Heart's Hill	16	109
	377	Glenside	28	107
	378 A	Rosemount	15	81
	378 B	Rosemount	20	63
	379	Reford	18	93
	380 A	Tramping Lake	25	87
	381	Grass Lake	20	122
	382	Eye Hill	27	138
	409	Buffalo	25	100
	410	Round Valley	28	99
8A	395	Porcupine	9	161
	397	Barrier Valley	23	176
	398	Pleasantdale	26	163
	428	Star City	25	135
	456	Arborfield	6	134
	457 A	Connaught	44	227
	457 B	Connaught	28	137
	486	Moose Range	8	92
	487	Nipawin	9	132
8B	369	St. Peter	39	184
	370	Humboldt	36	143
	371	Bayne	40	126
	372	Grant	27	88
	373	Aberdeen	17	90
	399	Lake Lenore	36	143
	400	Three Lakes	18	94
	401	Hoodoo	27	82
	402	Fish Creek	34	115
	429 A	Flett's Springs	15	135
	429 B	Flett's Springs	19	127
	430	Invergordon	26	127
	431	St. Louis	16	76
	459	Kinistino	30	119
9AE	461	Prince Albert	22	106
	488	Torch River	13	140
	520	Paddockwood	24	110
9AW	405	Great Bend	25	76
	406	Mayfield	38	109
	435	Redberry	37	118
	436 B	Douglas	19	38
	463	Duck Lake	53	126
	464	Leask	34	149
	466	Meeting Lake	26	108
	467	Round Hill	40	120
	493	Shellbrook	37	112
	494	Canwood	24	147
	496	Spiritwood	15	106
	555	Big River	28	122
9B	438 A	Battle River	9	85
	438 B	Battle River	20	94
	468	Meota	14	80
	472	Wilton	17	110
	498 A	Parkdale	14	54
	498 B	Parkdale	20	59
	499	Mervin	21	118
	501 A	Frenchman Butte	12	85
	501 B	Frenchman Butte	9	82
	501 C	Frenchman Butte	11	102
	502	Britannia	22	114
	561	Loon Lake	8	97
	588 A	Meadow Lake	8	96
	588 B	Meadow Lake	13	103
	588 C	Meadow Lake	4	84
	588 D	Meadow Lake	15	76

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R.M.

* incomplete

Municipality No: A, B, C, and D - more than one reporter

Cumulative Rainfall
From: April 1, 2006
To: June 10, 2006



Crop Land Topsoil Moisture Conditions
June 11, 2006



Crop Land Topsoil Moisture Conditions
June 11, 2006



Crop Districts
and
Rural Municipalities



Weekly Rainfall

for the week ending June 10, 2006



Saskatchewan

Weekly Rainfall

for the week ending June 10, 2006



Saskatchewan

Cumulative Rainfall

From: April 1, 2006

To: June 10, 2006



Saskatchewan

Crop Land Topsoil Moisture Conditions

June 11, 2006



Saskatchewan

Crop Land Topsoil Moisture Conditions

June 11, 2006



Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

June 11, 2006



Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

June 11, 2006



Saskatchewan

Crop Damage - Flood

for the week ending June 10, 2006